




RIGHT ELEVATION
SCALE: 1/4" = 10'




FRONT ELEVATION
SCALE: 1/4" = 10'
ATTIC VENTILATION - 3881 S/F / 300 = 12.95 S/F REQUIRED

STEPS DETERMINED BY GRADE
 9'0" FINISHED CEILING HEIGHT ON FIRST FLOOR
 1'4" WINDOW HEADER HEIGHT ON FIRST FLOOR
 8'0" FINISHED CEILING HEIGHT ON SECOND FLOOR
 6'8" WINDOW HEADER HEIGHT ON SECOND FLOOR
 CANTILEVER ALL ROOF TRUSSES
 BUILDER TO CONFIRM STONE




LEFT ELEVATION
SCALE: 1/4" = 10'



REAR ELEVATION
SCALE: 1/4" = 10'

I DO HEREBY CERTIFY THAT THIS DRAWING AND




9'0" FINISHED CEILING HEIGHT ON FIRST FLOOR
 7'4" WINDOW HEADER HEIGHT ON FIRST FLOOR
 8'0" FINISHED CEILING HEIGHT ON SECOND FLOOR
 6'8" WINDOW HEADER HEIGHT ON SECOND FLOOR
 CANTILEVER ALL ROOF TRUSSES

**HVAC PLAN
 FIRST FLOOR**
 SCALE: 1/4" = 1'0"

HEAT LOSS/GAIN
 HEAT LOSS 12,248 BTU
 HEAT GAIN 80,160 BTU
 EQUIPMENT TURO48 8PLIT HEAT
 PUMP W/ TUEO48C AIR HANDLER
 RATED @ 18,100 BTU HEATING AND
 41,000 BTU COOLING PLUS 15 KW AUX. HEAT

2351 S/F ON FIRST FLOOR
 160 S/F ON SECOND FLOOR
 3111 S/F TOTAL HEATED AREA
 402 S/F IN DOUBLE GARAGE
 152 S/F ON FRONT PORCH
 222 S/F ON REAR PORCH



HVAC CONTRACTOR TO CONFIRM
VENT LOCATION AND SIZE OF UNIT

HVAC PLAN
SECOND FLOOR
SCALE: 1/4" = 1'0"

160 S/F ON SECOND FLOOR